Appendix 1. Lepidoptera recorded from Caribou Mountains Wildland Provincial Park, 2003.

Abundance categories consist of "rare" (R), "uncommon" (U), "common" (C), and "abundant" (A). MONA catalogue numbers follow Hodges et al. (1983), with new species and incomplete determinations inserted with decimals. Nomeclature follows Lafontaine & Troubridge (2003).

				Site																																		
Abundance	Family	MONA #	Species	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33
C	Adelidae	218.00	*Elasmion bellela*	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
?	Lyonetiidae	472.91	*Lyonetia sp.*	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
?	Coleophoridae	1398.91	*Coleophora spp.*	-	-	-	-	-	1	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C	Gelechiidae	1898.00	*Lita sexpunctella*	-	-	-	-	-	2	-	3	1	1	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
C	Gelechiidae	2069.00	*Chionodes sp. prob. continuella*	-	-	-	-	-	-	-	-	1	-	-	-	1	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C	Gelechiidae	2069.11	*Chionodes sattleri*	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C	Gelechiidae	2069.11	*Chionodes sp. prob. sattleri*	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
U	Gelechiidae	2123.00	*Chionodes viduella*	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
?	Gelechiidae	2276.91	*Gelechiidae sp. 1*	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
?	Gelechiidae	2276.92	*Gelechiidae sp. 2*	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
?	Gelechiidae	2276.93	*Gelechiidae sp. 3*	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
?	Gelechiidae	2276.94	*Gelechiidae sp. 4*	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
?	Gelechiidae	2276.95	*Gelechiidae sp. 5*	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A	Plutellidae	2366.00	*Plutella xylostella*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
R	Schreckensteinidae	2509.00	*Schreckensteinia festaliella*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C	Tortricidae	2743.01	*Endothenia nubilana*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C	Tortricidae	2745.00	*Taniva albolineana*	-	-	-	-	-	-	-	1	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C	Tortricidae	2753.00	*Apotomis capreana*	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
U	Tortricidae	2754.00	*Apotomis paludicolana*	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C	Tortricidae	2767.00	*Apotomis infida*	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C	Tortricidae	2769.00	*Pseudosciaphila duplex*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
R	Tortricidae	2834.00	*Olethreutes sordidana*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
C	Tortricidae	2839.01	*Olethreutes metallicana*	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C	Tortricidae	2840.00	*Olethreutes nordeggana*	-	-	-	-	-	-	-	-	4	-	-	-	6	2	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
C	Tortricidae	2847.00	*Olethreutes glaciana*	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
C	Tortricidae	2847.00	*Olethreutes sp. prob. glaciana*	-	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C	Tortricidae	2847.91	*Olethreutes sp. NOT glaciana*	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C	Tortricidae	2851.01	*Olethreutes turfosanus*	-	-	-	-	-	-	-	1	1	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
U	Tortricidae	2854.00	*Olethreutes bowmanana*	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C	Tortricidae	3223.00	*Gypsonoma fasciolana*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C	Tortricidae	3344.00	*Epinotia medioplagata*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C	Tortricidae	3355.00	*Ancylis subaequana*	-	-	-	-	-	4	-	1	2	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
C	Tortricidae	3369.00	*Ancylis sp. prob. fuscociliana*	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C	Tortricidae	3374.00	*Ancylis comptana*	-	-	-	-	-	2	-	-	2	-	-	3	-	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C	Tortricidae	3374.91	*Ancylis comptana complex*	-	-	-	-	-	1	-	-	2	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

C	Tortricidae	3379.00	*Ancylis diminutana*	-	-	-	-	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C	Tortricidae	3380.00	*Ancylis goodelliana*	-	-	-	-	-	2	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C	Tortricidae	3382.00	*Ancylis unguicella*	-	-	-	-	-	2	-	3	1	1	-	2	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
U	Tortricidae	3386.00	*Ancylis tineana*	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
U	Tortricidae	3422.00	*Pammene bowmanana*	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C	Tortricidae	3568.00	*Eana argentana*	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
U	Tortricidae	3636.00	*Choristoneura albaniana*	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A	Tortricidae	3637.00	*Choristoneura conflictana*	1	-	-	-	-	-	-	-	2	-	-	-	-	2	3	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
A	Tortricidae	3638.00	*Choristoneura fumiferana*	-	-	-	-	-	-	-	-	1	-	-	-	-	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C	Tortricidae	3665.00	*Archips alberta*	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
R	Tortricidae	3685.00	*Clepsis moeschleriana*	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
R	Tortricidae	3710.00	*Sparganothis violaceana*	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C	Tortricidae	3740.00	*Platynota idaeusalis*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C	Tortricidae	3796.00	*Phtheochroa waracana*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
R	Hesperiidae	3945.00	*Erynnis icelus*	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
U	Hesperiidae	3961.00	*Erynnis persius*	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
U	Hesperiidae	3962.00	*Pyrgus centaureae freija*	-	-	-	-	-	-	1	-	2	-	-	-	2	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13	-	-	7	-	-
C	Hesperiidae	3982.00	*Carterocephalus palaemon*	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
R	Papilionidae	4166.00	*Papilio machaon hudsonianus*	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A	Papilionidae	4176.10	*Papilio canadensis*	-	-	-	-	-	-	-	1	3	1	-	-	-	4	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	4	-	-	-	-	-	-
C	Pieridae	4195.30	*Pieris oleracea*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	2	-	-	1	-	-	-
U	Pieridae	4197.00	*Pieris rapae*	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
C	Pieridae	4200.00	*Euchloe ausonides*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
C	Pieridae	4209.00	*Colias philodice*	-	-	-	-	1	-	-	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-
U	Pieridae	4215.10	*Colias canadensis*	-	-	-	-	1	-	-	2	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	-	1	-	-	-	-
R	Pieridae	4218.00	*Colias chippewa*	-	1	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C	Pieridae	4222.00	*Colias gigantea*	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C	Lycaenidae	4261.00	*Lycaena dorcas*	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C	Lycaenidae	4322.00	*Callophrys augustinus*	-	-	-	-	-	-	-	1	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
R	Lycaenidae	4324.00	*Callophrys polia*	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C	Lycaenidae	4362.00	*Everes amyntula*	-	-	-	-	-	-	-	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-
A	Lycaenidae	4363.00	*Celastrina lucia*	-	-	-	-	1	-	1	1	-	-	-	-	-	6	-	-	-	-	-	1	3	-	1	-	-	-	-	-	-	-	-	-	5	-	-
U	Lycaenidae	4372.00	*Glaucopsyche lygdamus*	-	-	-	-	3	-	1	21	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C	Lycaenidae	4376.00	*Plebejus saepiolus amica*	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-
U	Lycaenidae	4383.00	*Vacciniina optilete yukona*	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-
C	Nymphalidae	4423.00	*Polygonia faunus*	-	-	-	2	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-
R	Nymphalidae	4430.00	*Nymphalis vaualbum*	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
U	Nymphalidae	4432.00	*Nymphalis antiopa*	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
R	Nymphalidae	4435.00	*Vanessa cardui*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
R	Nymphalidae	4437.00	*Vanessa atalanta*	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
C	Nymphalidae	4463.00	*Boloria eunomia dawsoni*	-	10	-	-	-	-	-	-	6	-	-	-	1	5	-	-	-	-	-	-	-	1	1	2	2	-	5	1	-	-	-	-	-	-	-	-
R	Nymphalidae	4465.00	*Boloria bellona*	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C	Nymphalidae	4466.00	*Boloria frigga saga*	-	1	-	1	-	1	1	3	4	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	1	2	-	-
C	Nymphalidae	4471.00	*Boloria freija*	-	-	-	-	-	1	-	2	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-
C	Nymphalidae	4475.00	*Boloria chariclea grandis*	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C	Nymphalidae	4522.00	*Limenitis arthemis rubrofasciata*	-	-	-	-	-	-	-	-	3	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-

U	Nymphalidae	4523.00	*Limenitis archippus*	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C	Nymphalidae	4593.10	*Erebia mancinus*	-	-	-	-	-	3	1	2	3	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	-	1	-	1
C	Nymphalidae	4596.00	*Erebia discoidalis*	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
C	Nymphalidae	4611.00	*Oeneis jutta ridingiana*	-	-	-	1	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	-	-	7	-	7	-	1	2	-
C	Crambidae	4716.00	*Scoparia biplagialis*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C	Crambidae	4948.00	*Ostrinia marginalis*	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C	Crambidae	4953.00	*Phlyctaenia coronata*	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
C	Crambidae	4958.00	*Anania funebris*	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C	Crambidae	5017.00	*Loxostege cereralis*	-	-	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C	Crambidae	5060.11	*Pyrausta borealis*	-	-	-	-	-	3	-	2	1	-	-	-	-	1	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
C	Crambidae	5099.00	*Udea itysalis*	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C	Crambidae	5101.00	*Udea radiosalis*	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C	Crambidae	5343.00	*Crambus perlellus*	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A	Crambidae	5391.00	*Chrysoteuchia topiaria*	-	-	-	-	-	-	-	-	-	-	-	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
U	Crambidae	5411.00	*Pediasia truncatella*	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
U	Crambidae	5415.00	*Pediasia ericella*	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C	Pyralidae	5718.00	*Myelopsis subtetricella*	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C	Pyralidae	5746.00	*Pima sp. prob. boisduvaliella*	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C	Pyralidae	5843.00	*Dioryctria nr./= reniculelloides*	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
?	Pyralidae	5946.91	*Phycitinae sp. 1*	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
?	Pyralidae	5946.92	*Phycitinae sp. 2*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
?	Pyralidae	5946.93	*Phycitinae sp. 3*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C	Pterophoridae	6118.00	*Amblyptilia pica*	-	-	-	-	-	1	-	2	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C	Thyatiridae	6235.00	*Habrosyne scripta*	-	-	-	-	-	-	-	-	3	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C	Thyatiridae	6251.00	*Drepana arculata*	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
U	Thyatiridae	6252.00	*Drepana bilineata*	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C	Geometridae	6270.00	*Protitame virginalis*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
C	Geometridae	6280.00	*Macaria andersoni*	-	-	-	-	-	-	-	-	1	-	-	-	1	1	2	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-
C	Geometridae	6287.00	*Macaria anataria*	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A	Geometridae	6321.00	*Macaria truncataria*	-	-	-	-	1	-	-	1	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	-
C	Geometridae	6330.00	*Macaria ulsterata*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
R	Geometridae		*Macaria unipunctaria?*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C	Geometridae	6394.00	*Digrammia rippertaria hebetata*	-	-	-	-	1	1	-	5	5	-	-	-	-	2	8	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	1	-	-
C	Geometridae	6639.00	*Eufidonia discospilata*	-	-	-	-	-	1	1	-	5	-	-	-	-	2	-	1	-	2	-	-	-	1	-	1	-	-	-	-	3	-	-	5	-
C	Geometridae	6656.00	*Hypagyrtis piniata*	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C	Geometridae	6677.00	*Cabera erythemaria*	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
C	Geometridae	6678.00	*Cabera variolaria*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
C	Geometridae	6679.00	*Cabera borealis*	-	-	-	1	1	1	1	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
R	Geometridae	6719.00	*Aspitates taylorae*	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	2	-
A	Geometridae	6796.00	*Campaea perlata*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
R	Geometridae	6817.00	*Selenia alciphearia*	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C	Geometridae	6820.00	*Metanema determinata*	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C	Geometridae	7085.00	*Mesothea incertata*	-	-	-	-	-	-	-	-	-	1	-	-	-	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
U	Geometridae	7139.00	*Cyclophora pendulinaria*	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
A	Geometridae	7166.00	*Scopula frigidaria*	-	-	1	-	-	-	-	-	-	-	-	-	2	6	16	-	-	-	-	-	-	-	-	-	8	1	-	-	-	-	-	-	-
C	Geometridae	7188.00	*Dysstroma walkerata*	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

C	Geometridae	7188.00	*Xanthorhoe sp. nr. ramaria*	-	-	-	-	-	-	-	-	1	-	-	-	-	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
C	Geometridae	7213.00	*Ecliptoptera silaceata*	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C	Geometridae	7236.00	*Hydriomena renunciata*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-
C	Geometridae	7293.00	*Rheumaptera subhastata*	-	-	-	-	-	1	-	1	8	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	1	-	-
C	Geometridae	7313.00	*Spargania luctuata*	-	-	-	-	-	4	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
C	Geometridae	7370.00	*Xanthorhoe abrasaria*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
U	Geometridae	7371.00	*Xanthorhoe iduata*	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
U	Geometridae	7373.00	*Xanthorhoe ramaria*	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
C	Geometridae	7188.00	*Xanthorhoe sp. nr. ramaria*	-	-	-	-	-	-	-	-	1	-	-	-	-	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
R	Geometridae	7388.00	*Xanthorhoe ferrugata*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
R	Geometridae	7396.00	*Epirrhoe sperryi*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
C	Geometridae	7399.00	*Euphyia unangulata*	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C	Geometridae	7430.00	*Trichodezia albovittata*	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C	Geometridae	7440.00	*Eubaphe mendica*	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C	Geometridae	7538.90	*Eupithecia 1*	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-
?	Geometridae	7538.90	*Eupithecia 2*	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
?	Geometridae	7538.90	*Eupithecia 3*	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
?	Geometridae	7538.90	*Eupithecia 4*	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
?	Geometridae	7538.90	*Eupithecia 5*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
?	Geometridae	7538.90	*Eupithecia 6*	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
?	Geometridae	7538.90	*Eupithecia 7*	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
U	Geometridae	7539.00	*Eupithecia multistrigata*	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
U	Geometridae	7574.00	*Eupithecia albicapitata*	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C	Uraniidae	7640.00	*Callizzia amorata*	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C	Geometridae	7640.00	*Lobophora nivigerata*	-	-	-	-	-	-	-	2	-	-	-	-	-	1	4	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
C	Uraniidae	7640.00	*Callizzia amorata*	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C	Lasiocampidae	7687.00	*Phyllodesma americana*	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A	Lasiocampidae	7698.00	*Malacosoma disstria*	-	-	-	-	-	-	-	-	1	-	-	-	-	-	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
R	Sphingidae	7810.10	*Sphinx poecila*	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C	Sphingidae	7821.00	*Smerinthus jamaicensis*	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
U	Sphingidae	7822.00	*Smerinthus cerisyi*	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C	Sphingidae	7893.00	*Hyles gallii*	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C	Notodontidae	7895.00	*Clostera albosigma*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
U	Notodontidae	7900.00	*Clostera brucei*	-	-	-	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C	Notodontidae	7901.00	*Clostera apicalis*	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C	Notodontidae	7922.00	*Pheosia rimosa*	-	-	-	-	-	-	-	-	2	-	-	-	-	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C	Notodontidae	7939.00	*Furcula occidentalis*	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C	Arctiidae	8043.00	*Eilema bicolor*	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C	Arctiidae	8123.00	*Holomelina ferruginosa*	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-
R	Arctiidae	8128.00	*Dodia albertae*	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
R	Arctiidae	8128.10	*Dodia sp. nr. albertae*	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C	Arctiidae	8162.00	*Platarctia parthenos*	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
R	Arctiidae	8165.10	*Pararctia yarrowii*	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
R	Lymantriidae	8290.00	*Gynaephora rossii*	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C	Lymantriidae	8304.00	*Dasychira plagiata*	-	-	-	-	-	-	-	-	-	-	-	-	-	9	9	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
C	Noctuidae	8322.00	*Idia americalis*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

C	Noctuidae	8323.10	*Idia sp. nr. aemula*	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
R	Noctuidae	8338.00	*Phalaenophana pyramusalis*	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
U	Noctuidae	8738.00	*Caenurgina crassiuscula*	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
C	Noctuidae	8913.00	*Autographa pseudogamma*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
U	Noctuidae	8914.00	*Autographa californica*	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
C	Noctuidae	8923.00	*Autographa ampula*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
R	Noctuidae	8935.00	*Syngrapha diasema*	-	-	-	-	-	-	-	-	2	-	-	1	-	3	10	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
U	Noctuidae	8949.00	*Syngrapha ignea*	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-
R	Noctuidae	9048.00	*Lithacodia albidula*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
C	Noctuidae	9206.00	*Acronicta vulpina*	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C	Noctuidae	9212.00	*Acronicta grisea*	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C	Noctuidae	9382.00	*Apamea devastator*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C	Noctuidae	9391.00	*Luperina passer*	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C	Noctuidae	9394.00	*Apamea contradicta*	-	-	-	-	-	-	-	-	4	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C	Noctuidae	9431.00	*Parastichtis suspecta*	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C	Noctuidae	9440.00	*Chortodes rufostrigata*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C	Noctuidae	9556.00	*Chytonix palliatricula*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C	Noctuidae	9581.00	*Hyppa indistincta*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C	Noctuidae	10156.00	*Sympistis heliophila*	-	-	-	-	-	-	-	-	1	-	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
C	Noctuidae	10275.00	*Polia nimbosa*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
C	Noctuidae	10277.00	*Polia rogenhoferi*	-	-	-	-	-	-	-	-	1	-	-	-	4	9	9	-	-	-	-	-	-	-	-	-	6	-	-	-	-	-	-	-	-	-	-
U	Noctuidae	10277.10	*Polia propodea*	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C	Noctuidae	10294.00	*Melanchra pulverulenta*	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C	Noctuidae	10298.00	*Lacanobia radix*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
U	Noctuidae	10310.00	*Papestra quadrata*	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C	Noctuidae	10312.00	*Papestra cristifera*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C	Noctuidae	10315.00	*Lasionycta secedens*	-	-	-	-	-	-	-	1	-	-	-	-	-	4	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C	Noctuidae	10332.00	*Coranarta luteola*	-	-	-	-	-	-	-	-	-	-	-	-	-	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
U	Noctuidae	10362.10	*Lasionycta taigata*	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
R	Noctuidae	10372.00	*Lacinipolia anguina*	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C	Noctuidae	10449.00	*Leucania insueta*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C	Noctuidae	10660.00	*Agrotis obliqua*	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C	Noctuidae	10698.00	*Trichosilia nigrita*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-
C	Noctuidae	10698.20	*Trichosilia mollis*	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C	Noctuidae	10929.00	*Eurois occulta*	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C	Noctuidae	10947.00	*Xestia oblata*	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C	Noctuidae	10959.00	*Xestia mixta*	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C	Noctuidae	10962.00	*Xestia perquiritata*	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C	Noctuidae	10964.00	*Xestia homogena*	-	-	-	-	-	-	-	-	1	-	-	-	-	12	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
C	Noctuidae	10965.00	*Xestia imperita*	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
U	Noctuidae	11081.00	*Heliothis borealis*	-	-	-	-	-	-	-	-	-	1	-	-	-	4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-